


Water control




VLSP, pressure independent valve system on/off
Two way pressure independent control and adjustment valve with on/off actuator, shut-off valve and bypass.
DN15/20/25/32. 230V.

The valve system VLSP consists of the following:

- VKF, valve kit
 - TAC, pressure independent regulation and adjustment valve
 - AV, shut off valve
- SD230, actuator on/off 230V
- BPV10, bypass valve

Type	DN	Flow range l/s
VLSP15LF	DN15	0,012 - 0,068
VLSP15NF	DN15	0,024 - 0,131
VLSP20	DN20	0,058 - 0,319
VLSP25	DN25	0,103 - 0,597
VLSP32	DN32	0,222 - 1,028




VLP, pressure independent and modulating valve system

Two way pressure independent control and adjustment valve with modulating actuator and shut-off valve.
DN15/20/25/32. 24V.

The valve system VLP consists of the following:

- VKF, valve kit
 - TAC, pressure independent regulation and adjustment valve
 - AV, shut off valve
- SDM24, modulating actuator 24V
- ST23024, 24V transformer for 1-7 actuators

Type	DN	Flow range l/s
VLP15LF	DN15	0,012 - 0,068
VLP15NF	DN15	0,024 - 0,131
VLP20	DN20	0,058 - 0,319
VLP25	DN25	0,103 - 0,597
VLP32	DN32	0,222 - 1,028




VOT, three way control valve and actuator on/off
3-way control valve with on/off actuator, DN15/20/25.
230V.

The valve kit consists of the following:

- TRVS, 3-way control valve
- SD230, actuator on/off 230V

Type	DN	Kvs	Max flow at 10 kPa
VOT15	DN15	1,7	0,149
VOT20	DN20	2,5	0,220
VOT25	DN25	4,5	0,395



VMT, three way control valve and modulating actuator

3-way control valve with modulating actuator.
DN15/20/25. 24V.

The valve kit consists of the following:

- TRVS, 3-way control valve
- SDM24, modulating actuator 24V
- ST23024, 24V transformer for 1-7 actuators

Type	DN	Kvs	Max flow at 10 kPa
VMT15	DN15	1,7	0,149
VMT20	DN20	2,5	0,220
VMT25	DN25	4,5	0,395